

Cell Line Information Sheet for LIM1215

Cell Line Designation LIM1215

CellBank Catalogue No. CBA-0161

Lot Number 01610210S

Total Cell Number 4.32×10^6 cells

Expected Cell Viability 96%

Human colorectal carcinoma. Colorectal cancer from HPNCC patient, mutated beta-catenin, secrete TGF-alpha

and are responsive to TGFalpha and EGF, A33 positive, MSI


Organism Human (*Homo Sapiens*)

Strain

Tissue Omental metastasis, CRC transcending colon

Growth Properties Adherent

Morphology Epithelial



Image

Growth Medium

RPMI1640 (with 2mM L-Glutamine+25mM HEPES) + 10% FCS, Insulin 0.6μg/ml, Hydrocortisone 1μg/ml, 1-Thioglycerol 10 μM

Subcultivation Ratio

Optimal split ratio 1:2-1:4 (seeding density 2 x10⁴ cells/cm²). Harvest the cells using 0.05% Trypsin/EDTA at 37°C for 5 min.

PC-2

Biosafety Level

This cell line is sent with the condition that you are responsible for its safe storage, handling and use. CellBank Australia is not liable for damages or injuries resulting from receipt and/or use of a CellBank culture.



Cell Line Information Sheet for LIM1215

Use Restrictions

These cells are distributed for research purposes only - refer to the Material Transfer Agreement (MTA).

Safety Precaution

CellBank Australia highly recommends that protective gloves and clothing always be used and a full-face mask always be worn when handling frozen vials. It is important to note that some vials leak when submersed in liquid nitrogen and will slowly fill with liquid nitrogen. Upon thawing, the conversion of the liquid nitrogen back to its gas phase may result in the vessel exploding or blowing off its cap with dangerous force creating flying debris.

Handling Procedure for Frozen Cells

To insure the highest level of viability, thaw the vial and initiate the culture as soon as possible upon receipt. Remove protective cryoflex layer prior to thaw. If upon arrival, continued storage of the frozen culture is necessary, it should be stored in liquid nitrogen vapour phase and not at -80°C. Storage at -80°C will result in loss of viability.

Establishing and Maintaining your Culture

Cells incubated at 37°C with 5% CO₂.

Refer to Technical & Customer Service Information pamphlet.

Cryoprotectant Medium

10% DMSO + 90% FCS

Additional Information

~1% transfectable with FuGENE, migrate in response to butyrate and grows as a xenograft

Depositor

Professor Tony Burgess

Ludwig Institute for Cancer Research, Australia

References

J Natl Cancer Inst. 1985 Apr;74(4):759-65

CellBank Warranty

While CellBank Australia uses reasonable efforts to include accurate and up-to date information on this product sheet, CellBank Australia makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. CellBank Australia does not warrant that such information has been confirmed to be accurate.

Disclaimers

This product is sent with the condition that you are responsible for its safe storage, handling, and use. CellBank Australia is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, CellBank Australia is not liable for damages arising from the misidentification or misrepresentation of cultures.

Please refer to the MTA for further details regarding the use of this product. The MTA is also available on our Web site at www.cellbankaustralia.com